



národní
úložiště
šedé
literatury

A New Characterization of the Maximum Cut in a Graph. Dedicated to the memory of the Tibetan meditation master Geshe1 Langri Tangpa (1054-1123), author of the "Eight verses for training the mind"

Rohn, Jiří
2012

Dostupný z <http://www.nusl.cz/ntk/nusl-111537>

Dílo je chráněno podle autorského zákona č. 121/2000 Sb.

Tento dokument byl stažen z Národního úložiště šedé literatury (NUŠL).

Datum stažení: 29.09.2024

Další dokumenty můžete najít prostřednictvím vyhledávacího rozhraní nusl.cz .



Institute of Computer Science
Academy of Sciences of the Czech Republic

A New Characterization of the Maximum Cut in a Graph

*Dedicated to the memory of the Tibetan meditation master
Geshe Langri Tangpa (1054-1123), author of the
“Eight verses for training the mind”*

Jiří Rohn

<http://uivtx.cs.cas.cz/~rohn>

Technical report No. V-1155

02.02.2012



Institute of Computer Science
Academy of Sciences of the Czech Republic

A New Characterization of the Maximum Cut in a Graph

*Dedicated to the memory of the Tibetan meditation master
Geshe¹ Langri Tangpa (1054-1123), author of the
“Eight verses for training the mind”*

Jiří Rohn


<http://uivtx.cs.cas.cz/~rohn>

Technical report No. V-1155

02.02.2012

Abstract:

We prove a formula expressing the maximal cut in a graph in terms of solvability of a system of linear inequalities $-e \leq Ax \leq e$ (e being the vector of all ones) appended with a nonlinear constraint $\|x\|_1 \geq 1$.²



Keywords:

Graph, maximum cut, linear inequalities, norm.

¹Equivalent to our “Dr”.

²Above: logo of interval computations and related areas (depiction of the solution set of the system $[2, 4]x_1 + [-2, 1]x_2 = [-2, 2]$, $[-1, 2]x_1 + [2, 4]x_2 = [-2, 2]$ (Barth and Nuding [1])).

1 Introduction

Maximum cut in a graph is a well known NP-complete problem. In the main result of this report (Theorem 1) we prove a formula expressing the maximal cut in a graph in terms of solvability of a system of linear inequalities

$$-e \leq Ax \leq e$$

(e being the vector of all ones) appended with a nonlinear constraint

$$\|x\|_1 \geq 1.$$

In this way the original discrete problem is recast as a continuous weakly nonlinear problem which can be solved by nonlinear optimization techniques. A related decision problem of determining whether the maximum cut exceeds a prescribed nonnegative integer ℓ is handled in Corollary 3.

2 Maximum cut: definition

Let $G = (N, E)$ be an undirected graph with set of nodes $N = \{1, \dots, n\}$ and set of edges E . Let m denote the cardinality of E .

Let $A_G = (a_{ij})$ be given by $a_{ij} = n$ if $i = j$, $a_{ij} = -1$ if $i \neq j$ and the nodes i, j are connected by an edge, and $a_{ij} = 0$ if $i \neq j$ and i, j are not connected. Then A_G is an MC-matrix [4].

For $S \subseteq N$, define the cut $c(S)$ as the number of edges in E whose one endpoint belongs to S and the other one to $N \setminus S$. Then the maximum cut in G is defined by

$$\text{mc}(G) = \max_{S \subseteq N} c(S).$$

Computation of the maximum cut in a graph is known to be an NP-complete problem [2].

3 Maximum cut: characterization

We denote $\mathcal{N} = \{0, 1, 2, \dots\}$ (the set of nonnegative integers), $e = (1, 1, \dots, 1)^T \in \mathbb{R}^n$, and we use the norm $\|x\|_1 = e^T |x| = \sum_{i=1}^n |x_i|$. Then we have this characterization which is the main result of this report.

Theorem 1. *For each undirected graph G there holds*

$$\text{mc}(G) = \max\{\ell \in \mathcal{N} \mid -e \leq (4\ell - 2m + n^2)A_G^{-1}x \leq e, \|x\|_1 \geq 1 \text{ has a solution}\}.$$

Proof. The result follows from the relation

$$\text{mc}(G) = \frac{1}{4} \left(\max_{z \in \{-1, 1\}^n} z^T A_G z + 2m - n^2 \right)$$

established in the proof of Theorem 3 in [4] and from Proposition 3 in [3]. □

It remains to be shown how a maximum cut $c(S)$ can be found.

Theorem 2. *Let x be any solution of the system*

$$-e \leq (4\text{mc}(G) - 2m + n^2)A_G^{-1}x \leq e,$$

$$\|x\|_1 \geq 1.$$

Then the set

$$S = \{i \mid x_i \geq 0\}$$

satisfies

$$c(S) = \text{mc}(G).$$

Proof. This description is a consequence of construction made in the proof of Theorem 3 in [4]. \square

4 Maximum cut: lower bounds

As immediate consequences of Theorems 1 and 2 we obtain these two corollaries.

Corollary 3. *Let G be an undirected graph and ℓ a nonnegative integer. Then*

$$\text{mc}(G) \geq \ell \tag{4.1}$$

holds if and only if the system

$$-e \leq (4\ell - 2m + n^2)A_G^{-1}x \leq e, \tag{4.2}$$

$$\|x\|_1 \geq 1 \tag{4.3}$$

has a solution.

Corollary 4. *If the system (4.2), (4.3), where ℓ is a nonnegative integer, has a solution x , then the set*

$$S = \{i \mid x_i \geq 0\}$$

satisfies

$$c(S) \geq \ell.$$

If (4.2), (4.3) has no solution, then

$$\text{mc}(G) < \ell.$$

5 Maximum cut: algorithm

Corollary 3 shows us a way how to verify (or disprove) the inequality (4.1) via solving a system of inequalities of the type

$$-e \leq Ax \leq e, \tag{5.1}$$

$$\|x\|_1 \geq 1. \tag{5.2}$$

Such an algorithm, named **basintnpprob** [from BASic INTerval NP PROBLEM], was described in [5]. As proved there, the algorithm in a finite number of steps either finds a solution to (5.1), (5.2), or states that no such solution exists.

Bibliography

- [1] W. Barth and E. Nuding, *Optimale Lösung von Intervallgleichungssystemen*, Computing, 12 (1974), pp. 117–125. [1](#)
- [2] M. R. Garey, D. S. Johnson and L. Stockmeyer, *Some simplified NP-complete graph problems*, Theoretical Computer Science, 1 (1976), pp. 237–267. [1](#)
- [3] J. Rohn, *NP-hardness results for some linear and quadratic problems*, Technical Report 619, Institute of Computer Science, Academy of Sciences of the Czech Republic, Prague, January 1995. <http://uivtx.cs.cas.cz/~rohn/publist/81.pdf> [1](#)
- [4] J. Rohn, *Computing the norm $\|A\|_{\infty,1}$ is NP-hard*, Linear and Multilinear Algebra, 47 (2000), pp. 195–204. [1](#), [2](#)
- [5] J. Rohn, *An algorithm for solving the system $-e \leq Ax \leq e$, $\|x\|_1 \geq 1$* , Technical Report 1149, Institute of Computer Science, Academy of Sciences of the Czech Republic, Prague, January 2012. <http://uivtx.cs.cas.cz/~rohn/publist/basintnpprob.pdf>. [2](#)