



národní  
úložiště  
šedé  
literatury

## **Measurement of Carbon-Carbon Coupling between Chemically Equivalent Nuclei.**

Blechta, Vratislav  
2016

Dostupný z <http://www.nusl.cz/ntk/nusl-263129>

Dílo je chráněno podle autorského zákona č. 121/2000 Sb.

Tento dokument byl stažen z Národního úložiště šedé literatury (NUŠL).

Datum stažení: 08.08.2024

Další dokumenty můžete najít prostřednictvím vyhledávacího rozhraní [nusl.cz](http://www.nusl.cz) .

## MEASUREMENT OF CARBON-CARBON COUPLINGS BETWEEN CHEMICALLY EQUIVALENT NUCLEI

Vratislav Blechta, Tomáš Strašák and Jan Sýkora

*Institute of Chemical Process Fundamentals of the ASCR, v. v. i.  
Rozvojova 135, Prague 6 – Suchbát, 165 02, CZ*

Carbon-carbon couplings are useful quantities for testing quality of quantum chemical calculations. In some cases homonuclear couplings between chemically equivalent nuclei can be desired for this task. On the other hand, such couplings are impossible to detect under normal conditions. Fortunately there is particular exception if the equivalent nuclei (carbons) are coupled to other heteronuclei (typically to protons). Then, the heteronuclear couplings (i.e. carbon-proton) can be used as artificial chemical shifts separating the two carbons on a frequency axis. The corresponding experiment can be a standard INADEQUATE without proton decoupling during preparation and acquisition periods [1]. This experiment is generally very time consuming since the acquired spectrum is usually split by a number of heteronuclear couplings and therefore it has very low intensity.

We present here a modification of the above experiment with the aim of increasing the sensitivity. This can be achieved by 2D *J*-resolved refocused INADEQUATE without decoupling during preparation period but with decoupling during acquisition and equilibrium periods. The experiment is discussed with respect to the sensitivity and influence of strong couplings.

### Acknowledgement

For the financial support, the Czech Science Foundation (Project No. 15-12719S) is gratefully acknowledged.

### References

- [1] S. Berger, *J. Magn. Reson.* **66**, 555 (1986).