



národní
úložiště
šedé
literatury

Dialytic Separation of Anions from DMSO Solution Facilitated by dendritic Receptors.

Cuřínová, Petra
2019

Dostupný z <http://www.nusl.cz/ntk/nusl-394157>

Dílo je chráněno podle autorského zákona č. 121/2000 Sb.

Tento dokument byl stažen z Národního úložiště šedé literatury (NUŠL).

Datum stažení: 07.05.2024

Další dokumenty můžete najít prostřednictvím vyhledávacího rozhraní nusl.cz .



O3 - DIALYTIC SEPARATION OF ANIONS FROM DMSO SOLUTION FACILITATED BY DENDRITIC RECEPTORS

Petra Cuřínová^{1,2}, Maximilian Winkler², Alena Krupková^{1,2}, Jan Budka³, Chang Nga Wun³, Vratislav Blechta², Lucie Červenková Šťastná^{1,2}, Jan Sýkora² and Tomáš Strašák^{1,2}

¹ Jan Evangelista Purkyně University, Ústí nad Labem, Czech republic

² Institute of Chemical Process Fundamentals, Czech Academy of Sciences, Prague, Czech republic

³ University of Chemistry and Technology, Prague, Czech republic

For complexation of anions via hydrogen bonding, a variety of receptors was proposed, synthesized and tested so far[1]. Attachment of a well explored anion sensing moiety, an isophthalamidic group[2], to dendritic structures of high molecular weight[3] leads to a new class of receptors. These compounds possess the advantage of multiple complexation sites with high affinity towards anions. Moreover, they offer the possibility of separation of the formed complex from the solution and subsequent recycling of the receptor.




Figure 1: schematic facilitated dialytic separation of anions from solution

As the dialytic tubing is impermeable for big molecules of receptor, the anions crossing the barrier of dialytic tubing to form complex with the receptor stay entrapped inside and can be removed from the solution. NMR methods were used to study the complexation properties of given receptors as well as to determine the concentration changes during dialytic experiments.

References

1. N. Busschaert, C. Caltagirone, W. Van Rossom, P. Gale, *Chem. Rev.* **2015**, 115, 8038-8055.
2. K. Navakhun, R. Sawangsri, V. Ruangpornvisuti, *J. Mol. Struct.* **2014**, 32-40.
3. T. Strašák, J. Malý, D. Wrobel, M. Malý, R. Herma, J. Čermák, M. Mullerová, L. Červenková Šťastná, P. Cuřínová, *RSC Adv.* **2017**, 7, 18724-18744.

Acknowledgement

This work was supported from ERDF/ESF project "UniQSurf-Centre of biointerfaces and hybrid functional materials" (No. CZ.02.1.01/0.0/0.0/17_048/0007411).