



národní
úložiště
šedé
literatury

Photochemical Derivatization of Helicenes.

Jakubec, Martin
2019

Dostupný z <http://www.nusl.cz/ntk/nusl-395976>

Dílo je chráněno podle autorského zákona č. 121/2000 Sb.

Tento dokument byl stažen z Národního úložiště šedé literatury (NUŠL).

Datum stažení: 23.05.2024

Další dokumenty můžete najít prostřednictvím vyhledávacího rozhraní nusl.cz.


Photochemical Derivatization of Helicenes

Student: Ing. Martin Jakubec
Supervisor: Ing. Jan Storch, Ph. D.

Helicenes are a class of polyaromatic compounds that have been increasingly studied over the past years. Their chirality, extended π -system and other intriguing characteristics make them worth exploiting in various fields of chemistry and material science¹.

One of the main challenges yet to overcome in helicene chemistry is difficult introduction of complex structural features into specific positions of the molecule. Although there have been some examples of functionalization of helicenes in recent literature², most helicenes are still produced from pre-functionalized starting materials³, which makes derivatization and fine-tuning of properties more difficult. Introduction of functional groups at late stages of synthesis remains attractive, but rather underdeveloped due to the lack of regioselectivity⁴ and a limited number of practically useful procedures providing helicenes on a larger scale.

In an effort to overcome these obstacles, new late-stage derivatization methodology using modern photochemical methods will be presented, with emphasis on the use of very simple and readily available helicenes, such as 2-bromo[6]helicene, 9-bromo[7]helicene and 2-methoxy[6]helicene.



Scheme 1: Photochemical derivatization of helicenes.

+ | — | + —

References

1. Gingras, M. *Chem. Soc. Rev.* **2013**, *42* (3), 1051–1095.
2. Jakubec, M.; Beránek, T.; Jakubík, P.; Sýkora, J.; Žádný, J.; Církva, V.; Storch, J. *J. Org. Chem.* **2018**.
3. Jančařík, A.; Rybáček, J.; Cocq, K.; Chocholoušová, J. V.; Vacek, J.; Pohl, R.; Bednárová, L.; Fiedler, P.; Císařová, I.; Stará, I. G.; et al. *Angew. Chemie - Int. Ed.* **2013**, *52* (38), 9970–9975.
4. Kaiser, R. P.; Ulč, J.; Císařová, I.; Nečas, D. *RSC Adv.* **2018**, *8* (1), 580–583.