



národní
úložiště
šedé
literatury

Amphiphilic Dendritic Compounds as Drug Delivery Systems.

Edr, Antonín
2019

Dostupný z <http://www.nusl.cz/ntk/nusl-396535>

Dílo je chráněno podle autorského zákona č. 121/2000 Sb.

Tento dokument byl stažen z Národního úložiště šedé literatury (NUŠL).

Datum stažení: 20.04.2024

Další dokumenty můžete najít prostřednictvím vyhledávacího rozhraní [nusl.cz](http://www.nusl.cz) .


Amphiphilic Dendritic Compounds as Drug Delivery Systems

Student: Ing. Antonín Edr
Supervisor: Ing. Tomáš Strašák, Ph. D.

Considering promising biomedical properties and high biomedical application potential of phosphonium dendrimers designed in our group¹, my project aims to prepare amphiphilic dendritic phosphonium or hydroxyl structures such as **1** or **2** capable of working as drug delivery systems in form of liposomes or micelles. Main goal is to be able to transport defined siRNA (short interfering RNA) to cytoplasm. Other applications are also possible.

An attaching of polar groups to the dendritic part of molecules is performed using thiol-ene reaction – a radical addition of thiol to double bond. Optimization of this reaction was performed on different model substrates.

To enable an easy detection of supramolecular objects assembled from **1** or **2**, I am currently working on preparation of their unsymmetrical analogues **3** and **4** bearing a fluorescent tag. Final liposomes or micelles will be prepared from mixtures of fluorescent and non-fluorescent analogues.



- 1** $G_1 = G_2 = C_4H_9$ $R = \text{---}PPh_3^+$
- 2** $G_1 = G_2 = C_4H_9$ $R = \text{---}CH(OH)CH_2OH$
- 3** $G_1 = C_4H_9$ $G_2 = NHBoc$ $R = \text{---}PPh_3^+$
- 4** $G_1 = C_4H_9$ $G_2 = NHBoc$ $R = \text{---}CH(OH)CH_2OH$

References

1. Strasak, T.; Maly, J.; Wrobel, D.; Maly, M.; Herma, R.; Cermak, J.; Mullerova, M.; Cervenкова Stastna, L.; Curinova, P. *RSC Advances* **2017**, *7*, 18724–18744.