



národní
úložiště
šedé
literatury

New Perspectives for Sewage Sludge Treatment.

Hušek, Matěj
2021

Dostupný z <http://www.nusl.cz/ntk/nusl-448663>

Dílo je chráněno podle autorského zákona č. 121/2000 Sb.

Tento dokument byl stažen z Národního úložiště šedé literatury (NUŠL).

Datum stažení: 16.08.2024

Další dokumenty můžete najít prostřednictvím vyhledávacího rozhraní nusl.cz .

New Perspectives for Sewage Sludge Treatment

Student: Matěj Hušek

Supervisor: Assoc. Prof. Michael Pohořelý, Ph.D.

Supervising Expert: Prof. Jan Hrdlička, Ph.D.

The use of stabilized sewage sludge has become a frequently discussed issue. The current analysis identifies potential research gaps in the development of sewage sludge treatment. Together with organic matter and nutrients, sludge contains a range of industrial and household pollutants, including heavy metals, drug and hormone residues, POPs, pathogens.^{1,2} A new Sewage Sludge Directive is being prepared at the EU level, but many states already have their strict limits or strategy. Stabilized sludge will cease to be used in agriculture while thermal treatment in pyrolysis or mono-incinerated units will gradually prevail. Sludge char (pyrolysis product) is valuable if the input has not high inorganic pollution.³ By applying sludge char to the soil, the physical soil properties are improved, such as fertility, water retention, drainage permeability, aeration, soil structure; contained phosphorus is gradually released. Compared to sludge char, sewage sludge ash is not sustainable for direct use in agriculture.⁴ Phosphorus is not in bioavailable form and has only a positive liming effect.⁴ Therefore, it is necessary to treat ash in processing plants where various substances from ash are recovered: phosphorus (fertilizer, H_3PO_4), iron salts, aluminium salts, metal concentrate, silicate sand and other minerals.⁵ In this work, we review relevant thermochemical processes and current product treatment/utilization issues for continuing applied research according to European union strategic calls and industry demand.

Acknowledgements

This work was supported by the Ministry of Agriculture of the Czech Republic – project QK21020022), AV 21 – Efficient energy transformation and storage, and Specific university research – grant No A1-FTOP-2021-004.

References

1. Fijalkowski, K.; Rorat, A.; Grobelak, A.; Kacprzak, M. J. The Presence of Contaminations in Sewage Sludge – The Current Situation. *J. Environ. Manag.* **2017**, *203*, 1126–1136.
2. Moško, J.; Pohořelý, M.; Cajthaml, T.; Jeremiáš, M.; Robles-Aguilar, A. A.; Skoblia, S.; Beňo, Z.; Innemanová, P.; Linhartová, L.; Michalíková, K.; Meers, E. Effect of Pyrolysis Temperature on Removal of Organic Pollutants Present in Anaerobically Stabilized Sewage Sludge. *Chemosphere* **2021**, *265*, 129082.
3. Huygens, D.; Delgado Sancho, L.; Saveyn, H. G. M.; Tonini, D.; Eder, P. European Commission; Joint Research Centre. *Technical Proposals for Selected New Fertilising Materials under the Fertilising Products Regulation (Regulation (EU) 2019/1009): Process and Quality Criteria, and Assessment of Environmental and Market Impacts for Precipitated Phosphate Salts & Derivates, Thermal Oxidation Materials & Derivates and Pyrolysis & Gasification Materials.* **2019**.
4. Krüger, O.; Adam, C. Recovery Potential of German Sewage Sludge Ash. *Waste Management* **2015**, *45*, 400–406.
5. Tsuneda, S.; Ohtake, H. Phosphorus Recovery and Recycling. *In-Tech*, **2019**.