



národní
úložiště
šedé
literatury

Investigation of recycling possibilities of discarded photovoltaic solar panels

Šperlich, Antonín
2023

Dostupný z <http://www.nusl.cz/ntk/nusl-526212>

Dílo je chráněno podle autorského zákona č. 121/2000 Sb.

Tento dokument byl stažen z Národního úložiště šedé literatury (NUŠL).

Datum stažení: 01.05.2024

Další dokumenty můžete najít prostřednictvím vyhledávacího rozhraní [nusl.cz](http://www.nusl.cz).

Investigation of recycling possibilities of discarded photovoltaic solar panels

*Student: Ing. Antonín Šperlich
Supervisor: Ing. Michal Šyc, Ph.D.*

The long-term growth of the installed capacity of solar photovoltaic energy production is now enhanced by both the current economic and energy crisis. The current global production of energy from solar photovoltaic panels is about 500 GW. In addition, it is expected to increase by up to 5 000 GW by the year 2050.¹ On the other hand, this source of energy is bonded with the production of waste in the form of old or discarded photovoltaic solar panels. In 2016, the mass of waste solar photovoltaic panels was estimated at 45 000 metric tonnes globally. By the year 2030 there is an expected mass of waste solar photovoltaic panels of 1.7–8 million metric tonnes and by 2050, 60–78 million metric tonnes.²

In the current market, the vast majority of photovoltaic panels sold are monocrystalline and polycrystalline types.³ Both photovoltaic solar panels have the same structure, consisting of an upper glass layer, a second bonding layer of poly(ethylene-vinyl acetate) (abbr. EVA), a third (middle) layer formed by silicone cells and other metals, a fourth layer of EVA and a fifth (final) layer of polyvinyl fluoride.⁴ According to mass composition, around 75% of a photovoltaic solar panel consists of glass, 10% of polymers, 10% of aluminium, 3% of silicon cells, 1% of copper, and significantly less than 1% is formed by silver (values are approximate).

Taking into account the economic value and mass content of individual fractions sparked interest as components of glass, metals, and silicon cells. The biggest current problem is the inefficient deliberation of individual layers and physical pre-treatment. This work aims to find an economically effective and industrially feasible method of how to recycle discarded photovoltaic solar panels. Performed experiments determined the exact composition of photovoltaic solar panels and the advantages and disadvantages of the treatment mentioned in the literature. Results will be used for a full-scale industrial unit design for solar photovoltaic panels recycling.

References

1. Venkatachary, S. K.; Samikannu, R.; Murugesan, S.; Dasari, N. R.; Subramaniam, R. U. Economics and impact of recycling solar waste materials on the environment and health care. *Environ. Technol. Innov.* **2020**, *20*, 101130.
2. Ansanelli, G.; Fiorentino, G.; Tammaro, M.; Zucaro, A. A Life Cycle Assessment of a recovery process from End-of-Life Photovoltaic Panels. *Appl. Energy* **2021**, *290*, 116727.
3. Włodarczyk, R. Analysis of the Photovoltaic Waste-Recycling Process in Polish Conditions—A Short Review. *Sustainability (Switzerland)* **2022**, *14* (8), 4739.
4. Peplow, M. Solar Panels Face Recycling Challenge. *ACS Central Sci.* **2022**, *8* (3), 299–302.